## isUserAssignable

Last Modified on 04/15/2024 5:52 am EDT

## Signature

Helper	nodeHelper
Signature	isUserAssignable (projectKey String, user IHubUser/ accountId String)
Description	Returns a Boolean value depending on whether the user has the required permissions to be assigned issues of a specific project. In simple words, to check if you can put a given user in the assignee field or not. Usually used to avoid errors when syncing users between instances.
Introduced in	4.6

## Example use

Set the issue assignee to the remote assignee only if it can be assigned in that project.

def assignee = nodeHelper.getUserByEmail(replica.assignee?.email)
if(nodeHelper.isUserAssignable(issue.projectKey, assignee)){
 issue.assignee = assignee
}else{
 issue.assignee = nodeHelper.getUserByEmail("default@admin.com")
}

Set the issue assignee to the remote assignee only if it can be assigned in that project.

```
def remoteAssignee = nodeHelper.getUserByEmail(replica.assignee.email)
if (nedeHelper.isUserAssignable("TEST", remoteAssignee) {
   issue.assignee = remoteAssignee
}
   Release History
   Glossary 🖸
   API Reference 🖄
   Security 🖸
   Pricing and Licensing
   Resources
   Subscribe for a weekly Exalate hack
   Academy 🖄
   Blog 🔀
   YouTube Channel 🖸
   Ebooks 🖄
   Still need help?
   Join our Community 🖸
   Visit our Service Desk 🖸
   Find a Partner FR
```