

# feature test

Last Modified on 01/15/2026 9:16 am EST

## Example of using 'httpClient' in ZenDesk



```
httpClient.get("/api/v2/tickets/" + entity.id + "/" + "comments")
```

This gets all the comments from a certain ticket with the response:

*Up am intention on dependent questions oh elsewhere september. No betrayed pleasure possible jointure we in throwing. And can event rapid any shall woman green. Hope they dear who its bred. Smiling nothing affixed he carried it clothes calling he no. Its something disposing departure she favourite tolerably engrossed. Truth short folly court why she their balls. Excellence put unaffected reasonable mrs introduced conviction she. Nay particular delightful but unpleasant for uncommonly who.*

Up am intention on dependent questions oh elsewhere september. No betrayed pleasure possible jointure we in throwing. And can event rapid any shall woman green. Hope they dear who its bred. Smiling nothing affixed he carried it clothes calling he no. Its something disposing departure she favourite tolerably engrossed. Truth short folly court why she their balls. Excellence put unaffected reasonable mrs introduced conviction she. Nay particular delightful but unpleasant for uncommonly who.

## Script Rules Auto-Completion

### API Auto-Completion

When working with Groovy scripts you can take advantage of the auto complete feature as you write your code.

The example below is designed to give you an idea how the process works. Keep in mind that the script rules editor provides suggestions for custom fields specific to the issue tracker. This feature

is available for Jira Cloud, Zendesk, Azure Devops, ServiceNow, Salesforce, and GitHub.

Your browser does not support HTML5 video.

Exalate API list supported for auto-suggestion (if supported by the connector):

- entity
- replica
- debug
- nodeHelper
- workflowHelper
- workLogHelper
- commentHelper
- attachmentHelper
- syncHelper
- log
- traces
- firstSync

**Note:** For mouse control, the Hotkeys (Windows and iOS) are **CTRL+FN+Space**.

For more information on script writing, please see the [Exalate API reference Documentation](#).

## Custom Fields auto-Completion

The process is the same, but in this case users get suggestions of custom field names available within the issue tracker as they type **issue.customFields.{list of available custom fields}** when writing Groovy sync rules.

Your browser does not support HTML5 video.

```
httpClient.get("/api/v2/tickets/" + entity.id + "/" + "comments")
```

The test issue title #1

ostapkrutsko opened this issue 6 minutes ago · 0 comments

ostapkrutsko commented 6 minutes ago

Do something...

Add a comment

Write Preview

Add your comment here...

Markdown is supported Paste, drop, or click to add files

Close issue Comment

Assignees: No one—assign yourself

Labels: None yet

Projects: None yet

Milestone: No milestone

Development: Create a branch for this issue or link a pull request.

Notifications: Unsubscribe

1 participant

## Product

[About Us](#) ?

[Release History](#) ?

[Glossary](#) ?

[API Reference](#) ?

[Security](#) ?

[Pricing and Licensing](#) ?

## Resources

[Subscribe for a weekly Exalate hack](#) ?

[Academy](#) ?

[Blog](#) ?

[YouTube Channel](#) ?

[Ebooks](#) ?

## Still need help?

[Join our Community](#) ?

[Visit our Service Desk](#) ?

[Find a Partner](#) ?