

How to Generate a Personal Access Token in GitHub

Last Modified on 01/15/2026 7:42 pm EST

Personal access tokens are used to log in to Exalate for GitHub.

1. Log in to your GitHub account.

The GitHub user must be an organization member or have admin access to a repository where Exalate is installed.

Note: The user account that wishes to access the Exalate dashboard needs to have **organization visibility** set to **Public**.

2. Navigate to **Settings** → **Developer settings**.

Personal settings

Profile

Account

Security

Security log

Emails

Notifications

Billing

SSH and GPG keys

Blocked users

Repositories

Organizations

Saved replies

Applications

Developer settings

3. Select **Personal access tokens**.

[GitHub Apps](#)

[OAuth Apps](#)

Personal access tokens

Personal access tokens

Need an API token for scripts or testing? [Generate a personal access token](#) for quick access to the [GitHub API](#).

Personal access tokens function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

© 2019 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)

 [Contact GitHub](#) [Pricing](#) [API](#) [Training](#) [Blog](#) [About](#)

4. Press **Generate new token** to generate a new access token.

Select the scopes or permissions you'd like to grant this token. To use your token to access repositories from the command line, select **repo**.

[GitHub Apps](#)

[OAuth Apps](#)

Personal access tokens

[Fine-grained tokens](#)

[Tokens \(classic\)](#) Beta

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

Note

exalate

What's this token for?

Expiration *

90 days The token will expire on Thu, Mar 23 2023

Select scopes

Scopes define the access for personal tokens. [Read more about OAuth scopes](#).

<input checked="" type="checkbox"/> repo	Full control of private repositories
<input type="checkbox"/> repo:status	Access commit status
<input type="checkbox"/> repo_deployment	Access deployment status
<input type="checkbox"/> public_repo	Access public repositories
<input type="checkbox"/> repo:invite	Access repository invitations
<input type="checkbox"/> security_events	Read and write security events

Once the token has been generated, you can use it to login to your Exalate admin console.

Note: Make sure to save the token, because you can access it only once.

Personal access tokens

[Generate new token](#)[Revoke all](#)

Tokens you have generated that can be used to access the [GitHub API](#).

Make sure to copy your new personal access token now. You won't be able to see it again!

✓ fa0a3b767dd9b166a08a0025d5c6f3cca9807261 

[Delete](#)[About Us](#) 

Personal access tokens function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API](#) over Basic Authentication. [Glossary](#) 

[API Reference](#) [Security](#) [Pricing and Licensing](#) **Resources**[Subscribe for a weekly Exalate hack](#) [Academy](#) [Blog](#) [YouTube Channel](#) [Ebooks](#) **Still need help?**[Join our Community](#) [Visit our Service Desk](#) [Find a Partner](#) 