Accept the Connection Invitation in Script Mode for ServiceNow

> **Note**: To accept the Connection invitation you need an **Invitation Code.** The **Invitation Code** includes **pre-populated** Connection details such as Connection name, instance short names, and Destination instance URL. You are only required to finish the configuration by accepting the invitation.

Accept the Connection Invitation in Script Mode from ServiceNow

1. Navigate to the **Connections** tab in the Exalate console.

2. Click **Accept invitation.**

3. Paste the invitation code.

Paste the invitation code that you received from the other side.

And click **Next**.

Accept Invitation ✕

Please paste the invitation code, received from your partner

Enter the invitation code

eyJpbnZpdGF0aW9uU2VjcmV0IjoiNUI2SnpGckZHZGhqZlNrVGlQb1NKN3pablp0clV3MWUiLCJpbnZpdGVkSW5zdGFuY2VVaWQiOiJmMDYwYmE2Yy0xNTg5LTQxNDUtYTk2MS03MGIzNWUyMjgzZjQiLCJub2RlSW5mbyI6eyJuYW1llljoibmFib28iLCJiYXNlVXJsljoiaHR0cHM6Ly9qY2xvvdWRub2RlLWxxZ2Ytb3Zzei14c250LXFicmEZXhhbGF0ZS5jbG91ZCIsImlzc3VlVHJhY2tlcl9JdybCI6Imh0dHBzOi8vbmFib28uYXRsYXNzaWFuLm5ldCIsImVudXhhbGF0ZXVeXBIljoiSklSQV9DTE9VRCIsImlzc3VlVHJhY2tlclZlcnNpb24iOiI3LjAuMCIsImVvZVBcHBWZXJzaW9uljoiNy4wLjAiLCJub2RlVmyc2lvbil6ljUuMy4zliwiZXhhbGF0ZVBsdWdpblZlcnNpb24iOiI1LjMuMyIsImlncGbkh1Yk9iamVjdHNWZXJzaW9uljoiMS4yLjAiLCJtYXhldWJPYmplY3RzVmyc2lvbil6ljEuMTQuMClsIm1pbllc3RWZXJzaW9uljoiMS4wLjAiLCJtYXhSZXN0QVBJVmyc2lvbil6ljUuMi4wliwicG9sbE9ubHki0mZhbHNlLCJleGFsYXRlR0Fvb21WmVyc2lvbil6ljUuMy40liwicmF3RXhhQ29tcFZlcnNpb24iOiI1LjMuMyIsImlmRhbmNlIVlkljoiODdiZWE2MWItYTk2Mi00YjdiLWI1NzUtZjE5MDRiOGU0ZDA3liwiZWRpdG9yljp7ImFkbWluUHJvb2ZVcmxxUZW1wbGF0ZSI6Imh0dHBzOi8vbmFib28uYXRsYXNzaWFuLm5ldC9zc2b2dpbj9yZWRpcmVjdjdENvdW50XHUwMDNkMVx1MDAyNmRlc3QtdXJsXHUwMDNkaHR0cHMlM0ElMkYlMkZuYWJvby5hdGxhc3NpYW4ubmV0JTJGcGx1Z2lucyUyRnNlcn...

Next

Congratulations! The connection is set up.

Accept invitation ✕

Congratulations!

company A   company B

Connection is established.

Configure Sync

What's Next?

After accepting the connection invitation proceed to configure the connection. Remember, with Exalate you need to set up the configuration for both integrating sides independently, depending on your integration requirements.

Product

About Us ⧉

Release History ⧉

Glossary ⧉

API Reference ⧉

Security ⧉

Pricing and Licensing ⧉

Resources

Subscribe for a weekly Exalate hack ⧉

Academy ⧉

Blog ⧉

YouTube Channel ⧉

Ebooks ⧉

Still need help?

Join our Community ⧉

Visit our Service Desk ⏷

Find a Partner ⏷