

# Configure the Connection in Script Mode for Jira On-premise

Last Modified on 01/15/2026 7:12 pm EST

## Configure the Synchronization (Optional)

### Set up Sync Rules

Once you test the Connection, you can choose to configure the synchronization behavior with the help of Sync Rules (Groovy-based scripts) and


1. Edit your Connection.

There are multiple ways to edit your connection:


- Navigate to **Connections** →  **Edit connection.**

Connection	Issues under sync	Last sync	Status
 <b>Company A to Company B</b> Description of the connection lorem ipsum sit amet	123	Issue TEST-777 46 minutes ago	 Active   

- If you just created a connection, select **Configure sync.**

[Accept invitation](#) 

**Congratulations!**



Connection is established.

[Configure Sync](#)


2. Set up **Outgoing sync** and **Incoming sync** in the **Rules** tab.

**Note:** Outgoing sync and Incoming sync scripts:

- are generated by default once the connection has been set up. You can, however, add, edit or remove these scripts to configure your sync according to your requirements.
- are platform specific.
- are present at both the source and the destination instance to give independent control over what data needs to be sent or received.

In the **Outgoing sync**, you can enter scripts to specify what data you send.

In the **Incoming sync**, you can enter scripts to specify what data you receive.



## Automate your Synchronization through Triggers

Specify **Triggers** if necessary.

With triggers, you can set up automatic sync of entities that fit a specific search query.

You can create **Triggers** by editing the connection or by configuring the sync as shown in the previous step. You can also create them on the Exalate Admin Console under the **Triggers** tab.

**Note:** For more information, check out [How to create a trigger](#).

## Publish the changes made to the Connection

Click **Publish** to save a connection.

**Note:** You can also use these hotkeys to publish a connection:

- Ctrl+S on Windows or Linux
- Cmd+S on Mac

**Note:** Changes in existing connections are not be applied before you update the entity. Please make sure to update the entity, if you want to apply changes.

# What's Next?

Well done! You have successfully completed your "Getting Started" journey. But there's more.

Options you can consider next:

- Sit back and relax! Sync happens based on the Sync Rules and Triggers you have set up in this step.
- You can also read the [Configuration Guides](#) to see more synchronization examples.
- You can also read the [Exalate API Reference Documentation](#) to learn more about how to work with incoming and outgoing sync scripts (aka Sync Rules).

## Product

### ON THIS PAGE

[About Us](#)

[Configure the Synchronization \(Optional\)](#)

[Glossary](#)

[Publish the changes made to the Connection](#)

[API Reference](#)

[What's Next?](#)

[Security](#)

[Pricing and Licensing](#)

### Resources

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

### Still need help?

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)