


# Configure the Connection in Visual Mode for Zendesk

Last Modified on 01/15/2026 6:57 pm EST

## Configure the Sync (Scope)


1. Click **Configure Sync** to start configuring the connection.



You can also configure an existing connection by navigating to the **Connections** tab in the Exalate Admin console. Then click the **Edit Connection** icon in front of the Connection name.

2. **Select Project** on both sides.

Select the projects you want to use for the Connection, at both ends.

A screenshot of a configuration interface for a connection named 'company\_A\_to\_company\_B'. At the top, it says '» company\_A\_to\_company\_B' and 'Active'. There are 'Scope' and 'Rules' tabs. The 'Scope' tab is active. Below it, a note says 'Define the context for the synchronization: what issues you want to sync and how to start the synchronization process.' There are two sections: 'company A' and 'company B'. Each section has a 'Select Project' dropdown, a 'Sync method' dropdown (with 'Manual →' and 'Manual ←' options), and a 'Select Project' dropdown for the other side. At the bottom right, there's a 'Next' button.

3. Click **Filter entities** (Optional)

With this option, you can decide what information is synchronized.

**Filters**

Select conditions to filter entities for synchronization:

<b>Labels</b>	<b>Issue type</b>	<b>Status</b>
<input type="text" value="Labels"/>   <input type="button" value="▼"/>	<input type="text" value="Issue type"/>   <input type="button" value="▼"/>	<input type="text" value="Status"/>   <input type="button" value="▼"/>
<b>Priority</b> <input type="text" value="Priority"/>   <input type="button" value="▼"/> <span style="border: 1px solid #009640; padding: 2px 5px; color: #009640;">+ More</span>		

---

## Set the **Filters**

You can also choose to have multiple filter options.

### Filter example:

Status = Open, Hold  
 Type = Task  
 Priority = Urgent

In this case, the following combinations are synced:

- Task with the Open status and Urgent priority
- Task with the Hold status and Urgent priority

## 4. Set the **Sync Method**

**Sync method**

<input type="text" value="Automatic →"/>   <input type="button" value="▼"/>	<input type="text" value="Manual ←"/>   <input type="button" value="▼"/>
---	--

This option allows you to decide how information must be synced between the task management systems. You can choose from the following options:

- **Manual:** The issue is synchronized manually.
- **Automatic:** The issue is synchronized automatically based on the entities you have filtered in the previous step.
- **Disabled:** The synchronization is disabled.

The arrows indicate the direction of the synchronization.

## 5. Click **Next** to configure the field mappings.

## Add the Field Mappings (Rules)

Rules denote the mapping between different entities and decide what is synchronized. There are predefined default mappings for basic fields in every Visual mode Connection.

You can access these mappings by clicking **Next** after configuring the sync. The **Rules** section consists of these mappings.

Order	company A	Sync direction	company B
1	Tags	↔	Labels
2	> Type	↔	Issue type
3	> State	↔	Status
4	Priority	↔	Priority
5	Title	↔	Summary
6	Description	↔	Description
7	Comments	↔	Comments

**Note:** The above is just an example of mapping. The actual mappings will depend on the platforms under sync.

The top bar displays the local instance's short name and the remote instance's short name. These are the names you provided while setting up a connection.

It also has a **Sync direction**. The arrows indicate the direction, whether uni or bi-directional. You can choose to **Expand all** or **Collapse all** the mappings.

You can **Edit connection** or **Delete mapping**. You can also drag and drop them, up or down to re-prioritize.

## Edit Mappings

For instance, if you want to edit the Tags ↔ Labels mapping, click the **Edit mapping** icon.

An **Edit mapping** dialog box opens.

Select the new fields to be mapped on both sides from the drop-down list. You can also edit the **Sync direction**. Sync direction allows you to control your sync in a specific direction, where the arrows indicate the direction.

## Delete Mappings

You can delete a specific mapping if you don't need it.




You are about to delete the mapping rule. Synchronization of the field, based on this rule will stop.

[Cancel](#) [Delete](#)


Clicking the trash icon opens up a prompt to confirm you want to delete the mapping. Click **Delete** to confirm the deletion.

## Add New Mappings

To add a new mapping, click the **Add mapping** button.



An **Add mapping** dialog box opens.



Select the required fields at both ends from a drop-down list. You can choose to keep the **Sync direction** as it is by default or edit it. Sync direction allows you to control your sync in a specific direction, where the arrows indicate the direction.

You can add sub-mappings by clicking the plus icon.

You can also specify what to do if the selected values do not match.



**If no matching value** is found you can choose to:

Option	If the value doesn't exist

Option	If the value doesn't exist
<b>Set a default value</b>	Fields are set to a default value you specify
<b>Report an error</b>	An error appears & is displayed on the <b>Errors</b> tab. The synchronization is blocked in this case.
<b>Do nothing</b>	The values stay the same

**Save** the changes whenever you are done.

## Custom field mappings

When you set up a Visual mode connection, Exalate fetches some of the custom fields for you. These are available through a drop-down list while adding a mapping.

If you don't find the custom field, there is always an option to add [Scripts](#).

The following are the supported custom field types:

### Text:

- **Jira Cloud:** Text Field (multi-line), Text Field (single line)
- **ADO:** Text (single line), Text (multiple lines)
- **Zendesk:** Text, Multi-line, Date, Number, Decimal

### Option:

- Jira Cloud: Radio Buttons, Select List (single choice)
- ADO: Picklist (string), Picklist (integer)
- Zendesk: Drop-down


### User:

- **Jira Cloud, on-prem:** User Picker (single user)
- **ADO:** Identity
- **Zendesk:** - Not supported

## Add Scripts for Advanced Configuration (Optional)

For advanced synchronization use cases, you can add Groovy Scripts to your Visual mode Connection.

To do so, click the arrow on the **Add Mapping** button. Select **Add Script**.



There is a default Script in the dialog box. You can edit it or simply delete the entire Script to start writing from scratch. Click **Save** when you finish adding the Scripts.

Add script

Use scripting to add an advanced rule. [Check examples.](#)

```

1 // sync value from "remote side text custom field" to the local "text custom field"
2 //jcloud.issue.customFields."text custom field".value = jirablue.issue.customFields."remote side text custom field"
3 // Set a fixed value "Exalate" in the custom field with name "My custom field"
4 //jcloud.issue.customFields."My custom field".value = "Exalate"
5
6 // sync value from "remote side select list custom field" to the local "select list custom field"
7 //jcloud.issue.customFields."select list custom field".value = jirablue.issue.customFields."remote side select list custom field"
8 // Set "Red" as a value in the custom fields "My select list"
9 //jcloud.issue.customFields."My select list".value = "Red"
10
11 // labels sync
12 //jcloud.issue.labels = jirablue.issue.labels
13
14

```

Save
Cancel

### Script Syntax:

As a general rule of thumb, the Scripts follow the following syntax:

```
your_instance_shortname.issue.customFields."your custom field name".value = remote.issue.customFields."remote custom field name".value
```

Where,

1. `your_instance_shortname` is the source instance.
2. `remote_instance_shortname` is the destination instance.

These are the names you provided while setting up the Connection.

Initiate connection

**Connection information**

Source side shortname\*

Destination side shortname\*

Connection name\*

Description

Previous
Initiate

3. This is followed by other issue properties, each separated with a `."` operator.

## Publish the Changes

To save the changes made to the **Scope** and **Rules** section and apply them to the Connection you have created, click **Publish**.

company A\_to\_company B
Active
[Back to Connections](#)

Scope
Rules
Publish

Configure the synchronization behavior with the help of field mappings and script rules.

Expand all
Collapse all
+ Add mapping

Order
company A
Sync direction
company B

**Note:** You can also use these hotkeys to publish a connection:

- Ctrl+S on Windows or Linux
- Cmd+S on Mac

**Note:** Configuration changes made to the Connection is applied on the next synchronization.

## What's Next?

Options you can consider next:

- If you have chosen to automatically start the synchronization in the Sync Scope, sit back and relax! Entities are synchronized based on the Scope Rules you have set.
- But if you want to set up an advanced automatic synchronization you can do so with [Triggers](#).
- You can also read the [Visual mode configuration guides](#).

### ON THIS PAGE

[Configure the Sync \(Scope\)](#)

#### Product

[Add the Field Mappings \(Rules\)](#)

[About Us](#) 

[Add Scripts for Advanced Configuration \(Optional\)](#)

[Glossary](#) 

[Publish the Changes](#)

[API Reference](#) 

[Security](#) 

[What's Next?](#)

[Pricing and Licensing](#) 

#### Resources

[Subscribe for a weekly Exalate hack](#) 

[Academy](#) 

[Blog](#) 

[YouTube Channel](#) 

[Ebooks](#) 

#### Still need help?

[Join our Community](#) 

[Visit our Service Desk](#) 

[Find a Partner](#) 