

# How to Add a Remote Issue Key Field in HP ALM/QC

Last Modified on 01/15/2026 5:07 pm EST

**Warning:** We are moving Exalate for HP QC/ALM into basic maintenance mode. This transition period will last until November 2024, after which support will be halted completely. For more information, please see <https://exalate.com/blog/end-of-support-hp/>.

This article shows how to add a remote issue key field in HP ALM/QC.

Exalate allows displaying the remote issue key in a separate field. You can configure this field in the Exalate app for HP ALM/QC admin console.

## Sending Side


### Outgoing sync

You need to be sure that the other side includes the issue key in a replica. To send the issue key add this code

```
replica.key = issue.key
```

## Receiving Side (HP ALM/QC)

1. Navigate to **Connections** -> edit connection



Connection	Issues under sync	Last sync	Status	Actions
svitlana1_to_testsvitlana	1	TES-2 3 days ago	Active	<a href="#">Edit connection</a> <a href="#">Sync</a> <a href="#">Logs</a> <a href="#">...</a>

2. Select **Sync Rules** tab




svitlana1\_to\_hpqcnode Publish

Active

Triggers **Rules** Statistics Info

3. Add the field name



Issue Link field name

HP ALM field to populate with remote Jira issue key

Have more questions? [Ask the community](#)

**PRODUCT**[About Us](#) **ON THIS PAGE**[Release History](#) [Glossary](#) [Sending Side](#)[API Reference](#) [Receiving Side \(HP ALM/QC\)](#)[Security](#) [Pricing and Licensing](#) **Resources**[Subscribe for a weekly Exalate hack](#) [Academy](#) [Blog](#) [YouTube Channel](#) [Ebooks](#) **Still need help?**[Join our Community](#) [Visit our Service Desk](#) [Find a Partner](#) 