

Import Nodes and Connections


Last Modified on 01/15/2026 9:26 am EST

To structure your workspace in New Exalate, you can import your existing **nodes** and their **connections**. This ensures that all integrations are managed from a central location.

Importing Nodes

To add an existing **node** to your network:

1. Go to the **Systems** tab and click **Import Node**.



2. Provide the required details:
 - **Node Name** (any name for reference).
 - **Node URL** (link to the Exalate node).

A screenshot of the 'Import node' modal form. The modal has a title bar with 'Import node' and a close button. It contains two input fields: 'Name' and 'Exalate URL'. The 'Exalate URL' field has the text 'https://jcloudnode-abcd-efgh-ijklm-lmno.exalate.cloud' entered. At the bottom right, there are two buttons: 'Cancel' and 'Add'.


3. Click **Add** to submit the request to the Exalate administrator of that node.

The node will appear in **Pending** status until the request is either **approved or declined** by the Exalate admin.

Approved Nodes

Once a node request is approved:

- It will show as **Approved** in the **System list**.



- In the **Connections tab**, the approved nodes will appear in the visual network representation.


With at least **two approved nodes**, you can start importing connections between them.

Importing Connections


You can import connections in two ways:

1. From the Connections Tab


1. Go to the **Connections** tab and click **Add Connections > Import Existing Connections**.



2. Select the **node** you want to import connections from. A list of available connections will be displayed.



3. Select the connections you want to import.



4. (Optional) You will also see other connections linked to this node. You can **send connection requests** to those nodes to enable additional connections for import.

5. Click **Import Connections**.

Once the import is successful:

- The **connections** will appear in the **Connections list**.
- The **visual workspace representation** will update, showing arrows that indicate how nodes are interconnected.

2. From the Systems Tab

1. In the **Systems tab**, once a node request is approved, an **Import Connections** button

will appear next to it.

2. Click **Import Connections**.

3. Select the connections you want to import from the available list.

4. (Optional) You can also send requests to other connected nodes to enable more connections for import.

5. Click **Import Connections** to finalize the process.

Once completed, the imported connections will be listed under **Connections**, and the visual network will update accordingly.

The screenshot displays the Exalate web interface. On the left is a sidebar with navigation links: Workspaces, Nodes Overview, Settings, Users, and Resources. The main content area is titled 'Documentation' and shows a 'Test network'. Below this, there are tabs for 'Connections', 'Systems', and 'Troubleshooting'. The 'Connections' tab is active, showing a list of connections. One connection is visible: 'Jira Cloud to AzureCloud', which is active. It shows a last sync of 25 days ago and one synced pair. To the right of the connections list is a 'Workspace visual' diagram showing a network of nodes. The nodes are 'Azure R500' and 'Jira Cloud', connected by a bidirectional arrow. The interface also includes a search bar, an 'Add connections' button, and a 'Feedback' button on the right side.

Product

[About Us](#)

ON THIS PAGE

[Release History](#)

[Glossary](#)

[Importing Nodes](#)

[API Reference](#)

[Importing Connections](#)

[Security](#)

[Pricing and Licensing](#)

Resources

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

Still need help?

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)