

Manage Connection

Last Modified on 01/15/2026 9:26 am EST


In the new Exalate console, you can easily modify sync rules and manage how integrations are configured between your systems. The interface allows you to work on both sides of the connection simultaneously, displaying the outgoing script from the source side and the incoming script from the destination side on a single screen.

This mirroring feature makes it convenient to write and review integration rules.

Accessing the Connection Configuration Page

To manage a connection's configuration:

1. Navigate to your **Workspace**.
2. Locate the connection in the **Connections list**.
3. Click on the **connection name** or the **Edit** button to open the configuration page.



Editing and Creating Versions

Once on the connection configuration page, you'll see the current sync rules. To make changes:

1. Either **Create a new version** or select **Open latest draft**.

This ensures you don't modify the active configuration directly. Changes are automatically saved as drafts, so you don't need to manually save them. You can modify drafts freely before publishing.

John Doe
System Admin
Logout

Workspaces / Orlando / Support Team to Dev Team

Connection: Support Team to Dev Team

Dev Team → Support Team

Version 3 (Active) + New version Open latest draft Item Sync Monitor >

Item type	Query	Status
Issue	Project = EXA	<input type="checkbox"/> Edit
Sprint	Project = SUP	<input type="checkbox"/> Edit

Scripts

Outgoing script
From Dev Team

```

1 replica.type = issue.type
2 replica.summary = issue.summary
3 replica.description = issue.description

```

Incoming script
Into Support Team

```

1 if(firstSync){
2   issue.projectKey = nodeHelper.getProjectByKey("DT")
3   // Set type name from source issue, if not found set a default

```

2. Click the **Edit** button to open the editor.
3. Edit sync rules.
4. Click **Save Script** to save the version or **Start TestRun** to test your configuration.
*More details on **TestRun** can be found in a dedicated article.*
5. Click **Add Trigger** to create one or multiple triggers for the current configuration version.
6. Click **Publish Version** if you want to activate the configuration.

Switching Connection Direction

When editing a connection, remember that changes apply only to one direction at a time. To ensure a complete configuration, click the **Switch Direction** button to modify the sync rules for the opposite flow. This will create a new version (or draft) for that direction, which also needs to be reviewed and published.

Workspaces / Orlando / Support Team to Dev Team

Connection: Support Team to Dev Team

Support Team → Dev Team

Version 3 (Active) + New version Open latest draft Item Sync Monitor >

Versioning Details

All configuration versions for a connection are available under the **Version dropdown** below the connection name.

Versions have the following statuses:

- **Active:**

The currently published configuration. It cannot be edited directly. To make changes, create a new version, which will be an exact copy of the Active version.

- **Draft:**

A draft is an editable copy of the Active version. You can modify it freely, and changes are auto-saved. A draft can be published when ready.

- **Archived:**

When a new version is published, the previous Active version is archived. You can restore an archived version by selecting **Restore version**, which creates a new draft that can be edited and published.

This versioning system ensures that your active configurations remain stable while giving you the flexibility to refine and update your integration rules as needed.

Product

ON THIS PAGE

[About Us](#)

[Accessing the Connection Configuration Page](#)

[Glossary](#)

[Editing and Creating Versions](#)

[API Reference](#)

[Versioning Details](#)

[Security](#)

[Pricing and Licensing](#)

Resources

[Subscribe for a weekly Exalate hack](#)

[Academy](#)

[Blog](#)

[YouTube Channel](#)

[Ebooks](#)

Still need help?

[Join our Community](#)

[Visit our Service Desk](#)

[Find a Partner](#)